

Rubber Stampede Inc.**Material Safety Data Sheet**

IDENTITY (As Used on label and List) Curve Décor Rubber Stamp & Stencil Cleaner	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

SECTION I	
Manufacturer's Name Rubber Stampede Inc.	Emergency Telephone Number (800) 423-4135
Address 2560 Pellissier Place	Telephone Number for Information (562) 695-7969 ext. 1734
Whittier, California 90601-1505	Date Prepared 3/7/2001
	Signature of Preparer (optional) Paul J. Camarillo

SECTION II - Hazardous Ingredients/Identify Information				
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	% (optional)
Aqua Ammonia (cas# 1336-21-6)	TWA 5mg/m3	N/A	N/A	0.5
Propylene Glycol Monobutyl Ether (cas#5131-66-8)	N/A	N/A	N/A	8
Octylphenoxypolyethoxyethanol (cas#9036-19-5)	N/A	N/A	N/A	8.5

SECTION III -Physical/Chemical Characteristics			
Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	1.1
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	>1	Evaporation Rate (Butyl Acetate = 1)	<1
Solubility in Water	Dilutable		

Appearance and Odor	A slight yellowish-colored liquid with a strong lemon scent.		
---------------------	--	--	--

SECTION IV -Fire and Explosion Hazard Data			
Flash Point (Method Used)	Flammable Limits	LEL	UEL
N/A	N/A	N/A	N/A

Extinguishing Media	Dry chemical, CO ₂ , water fog
---------------------	---

Special Fire Fighting Procedures	Use self-contained breathing apparatus (pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear.
----------------------------------	---

Cool product with water if exposed to fire.

Unusual Fire and Explosion Hazards	Material will burn in a fire, release combustible products which may be toxic, including carbon dioxide, carbon monoxide, and
------------------------------------	---

smoke.

SECTION V -Reactivity Data			
Stability	Unstable	Conditions to Avoid	N/A

Curve Decor Stamp Cleaner

Stable	X
--------	---

Incompatibility (*Materials to Avoid*)

Strong acids and alkalis.

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	N/A

SECTION VI -Health Hazard Data

Route(s) of Entry:	Inhalation? <p style="text-align: center;">No</p>	Skin? <p style="text-align: center;">Yes</p>	Ingestion? <p style="text-align: center;">Yes</p>
--------------------	--	---	--

Health Hazards (*Acute and Chronic*)

Ingestion: Low toxicity. Inhalation: Not volatile vapors may be released at temperatures above 235C.

Carcinogenicity:	NTP? <p style="text-align: center;">No</p>	IARC Monographs <p style="text-align: center;">No</p>	OSHA Regulated? <p style="text-align: center;">No</p>
------------------	---	--	--

Signs and Symptoms of Exposure

Inhalation: Adverse health effects from vapors in poorly ventilated areas may include irritation of the mucous membranes of the nose, throat and respiratory tract and symptoms of headache and nausea.

Skin :Prolonged and repeated contact with product may cause skin irritation.

Eye : Instantaneous contact with product will cause eye irritation.

Ingestion: Nausea and/or vomiting may occur in ingested.

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

Inhalation: Move subject to fresh air. Eye contact: Flush eyes with a large amount of water for at least 15 minutes. Consult a physician if irritation persists. Skin Contact: Wash affected areas thoroughly with soap and water. Consult a physician if irritation persists. Ingestion: If swallowed, give two glasses of water to drink. Consult a physician. Never give anything by mouth to an unconscious person.

Curve Decor Stamp Cleaner

SECTION VII -Precautions for Safe Handling and Use

Steps To Be Taken in Case Material Is Released or Spilled

Control spill with paper towel. Dried refuse may be disposed of according to local, state and federal regulations.

Waste Disposal Method

Dried refuse may be disposed of according to local, state and federal regulations. Check with local authorities for details on disposal.

Precautions to Be Taken in Handling and Storing

Avoid storing in areas exposed to direct sunlight. Keep from freezing temperatures. Store in a cool, dry place.

Other Precautions

Keep container tightly closed when not in use.

KEEP OUT OF REACH OF CHILDREN.

SECTION VIII -Control Measures

Respiratory Protection (*Specify Type*)

Ventilation	Local Exhaust	Recommended	Special	None
	Mechanical (<i>General</i>)	May be used.	Other	None

Protective Gloves

Impervious plastic or rubber.

Protective Glasses

Safety glasses should be worn to avoid eye contact.

Other Protective Clothing or Equipment

Long sleeve garments may be worn to avoid contact with skin.

Work/Hygenic Practices

Clean-up with soap and water. Wash hands with soap and water after using product. Close container tightly.

SECTION IX - Disclaimer

Delta Technical Coatings, Inc. Assumes no responsibility for personal injury or property damage to vendees,

users or third parties caused by the product. Such vendees assumes all risks associated with the use of this product.

HMIS SYMBOL

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0

RATING

SEVERE	4
SERIOUS	3
MODERATE	2
SLIGHT	1
MINIMAL	0

Transportation Information:

D.O.T. : Not Regulated

I.A.T.A.: Not Regulated

CERCLA RQ: None